



# Record Sheet

Location:

Footbath No.:

Start Date:	Disposal Date*:	Filled By:	Disinfectant used:	Dilution (%):
<input type="text"/>	<input type="text"/>	<input type="text"/>	COXICUR <input type="radio"/> TIBICUR <input type="radio"/> VIROCUR <input type="radio"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	COXICUR <input type="radio"/> TIBICUR <input type="radio"/> VIROCUR <input type="radio"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	COXICUR <input type="radio"/> TIBICUR <input type="radio"/> VIROCUR <input type="radio"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	COXICUR <input type="radio"/> TIBICUR <input type="radio"/> VIROCUR <input type="radio"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	COXICUR <input type="radio"/> TIBICUR <input type="radio"/> VIROCUR <input type="radio"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	COXICUR <input type="radio"/> TIBICUR <input type="radio"/> VIROCUR <input type="radio"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	COXICUR <input type="radio"/> TIBICUR <input type="radio"/> VIROCUR <input type="radio"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	COXICUR <input type="radio"/> TIBICUR <input type="radio"/> VIROCUR <input type="radio"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	COXICUR <input type="radio"/> TIBICUR <input type="radio"/> VIROCUR <input type="radio"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	COXICUR <input type="radio"/> TIBICUR <input type="radio"/> VIROCUR <input type="radio"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	COXICUR <input type="radio"/> TIBICUR <input type="radio"/> VIROCUR <input type="radio"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	COXICUR <input type="radio"/> TIBICUR <input type="radio"/> VIROCUR <input type="radio"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	COXICUR <input type="radio"/> TIBICUR <input type="radio"/> VIROCUR <input type="radio"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	COXICUR <input type="radio"/> TIBICUR <input type="radio"/> VIROCUR <input type="radio"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	COXICUR <input type="radio"/> TIBICUR <input type="radio"/> VIROCUR <input type="radio"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	COXICUR <input type="radio"/> TIBICUR <input type="radio"/> VIROCUR <input type="radio"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	COXICUR <input type="radio"/> TIBICUR <input type="radio"/> VIROCUR <input type="radio"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	COXICUR <input type="radio"/> TIBICUR <input type="radio"/> VIROCUR <input type="radio"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	COXICUR <input type="radio"/> TIBICUR <input type="radio"/> VIROCUR <input type="radio"/>	<input type="text"/>

*\*It is recommended to replace contents after 15 uses or more frequently if the disinfectant becomes heavily soiled. Should you require additional record sheets, please contact: [info@progiene-dairy.com](mailto:info@progiene-dairy.com)*

For audit trail this sheet is to be retained for inspection as required